



Tel: +86 15919694420 Moss




广州玛利莱灯光音响设备有限公司
GAGA PRO LIGHTING EQUIPMENT CO.,LTD

地址: 广东省广州市白云区江高镇小塘南路23号
玛利莱工业区

Address: No.1 West Road, Xiaotanghuan Village, Jianggao Town,
Baiyun District, Guangzhou City, Guangdong Province, China

GAGA
GAGA Stage Light
玛利莱灯光




工程亮化、文旅亮化、舞台灯光
Engineering lighting, cultural lighting, stage lighting




产品宣传册

Product catalogue



文旅景区、主题公园、景观庄园、露营地、商业广场、楼盘广告、城市地标与建筑投影、科技展览、教育科普、体育赛事、酒吧夜店、舞台演唱会、婚礼与宴会、发布会启动仪式等工程亮化
Cultural tourism scenic spots, theme parks, landscape estates, camping bases, commercial squares, real estate advertising, urban landmarks and architectural projections, science and technology exhibitions, education and popular science, sports events, bars and nightclubs, stage concerts, weddings and banquets, conference launch ceremonies and other engineering lighting.

广州玛利莱灯光音响设备有限公司
GAGA PRO LIGHTING EQUIPMENT CO.,LTD



目录

Directory

户外亮化激光灯和舞台灯光
Outdoor lighting laser lights and stage lights

15⁺ 15多年源头工厂
15+ YEARS SOURCE FACTORY
专业生产经验
Production experience

专注于生产、销售、研发、设计、安装调试
Focus on production, sales, research and development, design, installation and commissioning

- 专业定制设计 Professional custom design
- 安全保护系统 Safety protection system
- 选用进口光源和原材料 Choose imported light sources and raw materials
- 播放内容可以按需定制 Playback content can be customized to your needs



01

关于我们 About us

企业介绍/团队介绍/公司荣誉

Company introduction / Team introduction / Company Honor

02

选择我们 Why us

公司实力/服务宗旨/业务覆盖

Company strength/Service purpose/Business coverage

03

应用案例 Application case

文旅亮化案例/夜游景区效果

Cultural travel lighting case / Night tour scenic effect

04

产品详情 Product details

产品规格/产品特性/应用场景

Product specifications/Features/ Application scenarios



企业介绍

Company introduction

广州玛利莱灯光音响设备有限公司创立于2010年，是专注户外激光灯光领域和整合产品研发、设计、生产及销售全流程作业的综合性高新技术企业实体。总部坐落于广州，配备有先进的现代化工厂设施，并于沈阳设立办事机构，以构建辐射全国的业务网络布局。

15年运营构建完备激光产品线，精准覆盖工程亮化、文旅亮化以及舞台灯光三大核心应用市场领域。主营产品品类涵盖户外激光灯、地标激光灯、防水性能卓越的激光灯、高功率输出的大功率激光灯、适配舞台场景的舞台激光灯、大型激光表演集成系统、综合性激光水秀工程项目、户外投影工程实施以及创新性的激光音乐喷泉等多元产品形态。此外，公司具备强大的生产制造能力与灵活的业务合作模式，能够为国内外客户提供定制化的ODM服务以及标准化的OEM代工服务，深度满足不同客户群体的多样化业务需求。

Established in 2010, GAGA PRO LIGHTING EQUIPMENT CO.,LTD. is a comprehensive high-tech enterprise entity that focuses on the outdoor laser lighting field and integrates the whole process of product R&D, design, production and sales. Its headquarters is located in Guangzhou, equipped with advanced modern factory facilities. And it has set up an office in Shenyang to build a business network layout covering the whole country.

After 15 years of operation, it has developed a complete laser product line, accurately covering the three core application market areas of engineering lighting, cultural and tourism lighting, and stage lighting. Its main products include outdoor laser lights, landmark laser lights, laser lights with excellent waterproof performance, high-power laser lights with high-power output, stage laser lights suitable for stage scenes, large laser performance integrated systems, comprehensive laser water show engineering projects, outdoor projection engineering implementation and innovative laser music fountains. Besides, the company has strong manufacturing capabilities and flexible business cooperation models, and can provide customized ODM services and standardized OEM services for domestic and foreign customers to fully meet the diverse business needs of different customer groups.



公司极为注重产品质量与安全管控，斩获FDA、CE、ROHS等国际权威认证，持有防水及盐雾检测报告，凭借多维度质检体系，确保产品于各类严苛环境稳定运行，达成品质与安全双重保障。未来，公司将坚守创新、品质、服务理念，凭借技术沉淀与行业经验，为全球客户打造专业高效且具创新性的激光灯一站式服务，助力户外亮化文旅与舞台灯光行业持续高质量发展。

The company attaches great importance to product quality and safety control, has obtained FDA, CE, ROHS and other international authoritative certification, holding waterproof and salt spray test reports, relying on multi-dimensional quality inspection system, to ensure the stable operation of products in various harsh environments, to achieve double guarantee of quality and safety. In the future, the company will adhere to the concept of innovation, quality and service, relying on technology precipitation and industry experience, to create professional, efficient and innovative laser light one-stop service for global customers, and help the outdoor lighting cultural tourism and stage lighting industry to continue high-quality development.

诚信至上，质量为先。玛利莱先后荣获以下称号：

广东省高新技术企业
中国行业十佳品牌
中国绿色节能环保产品
ISO14001环境管理体系认证
ISO9001质量管理体系认证
全国政府采购优秀供应商
中国制造网 认证供应商
全国AAA级诚信供应商
全国AAA级诚信经营示范单位
全国企业资信等级AAA级单位
全国AAA级质量服务诚信单位
广东省守合同重信用企业
广东省优秀信用企业
中国诚信企业家·姜云峰
爱心捐赠企业
广州商学院产学研合作示范基地
美国穿山甲激光系统公司官方经销商单位
福建舞美界与演艺设备行业年会突出贡献单位

Integrity first, quality first. GAGA LIGHT has received the following awards:

☐ Guangdong high-tech enterprises
☐ Top 10 brands in Chinese industry
☐ China's green energy-saving environmental protection products
☐ ISO14001 environmental management system certification
☐ ISO9001 quality management system certification
☐ Excellent supplier of national government procurement
☐ Made in China network certified supplier
☐ National AAA level integrity supplier
☐ National AAA level integrity management demonstration enterprise
☐ National enterprise credit rating AAA level enterprise
☐ National AAA quality service integrity enterprise
☐ Guangdong Province abide by the contract and credit enterprises
☐ Excellent credit enterprise in Guangdong Province
☐ Jiang Yunfeng, a Chinese honest enterprise
☐ Charitable donation enterprise
☐ Guangzhou Business School industry-university-research cooperation demonstration base
☐ Pangolin laser system company official distributor enterprise
☐ Fujian stage beauty industry and performing arts equipment industry annual meeting outstanding contribution enterprise

选择我们 Why us



广州玛利莱灯光音响设备有限公司
GAGA PRO LIGHTING EQUIPMENT CO.,LTD



15年
15 years
研发经验
Research and development
experience
专业团队
Professional team
源头工厂
Source factory
免费设计
Free design
卓越品质
Excellent quality
售后服务
After-sales service



细选材质
QUALITY MATERIAL



经久耐用
DURABLE



扎实技术
SAFETY TECHNOLOGY



质量保障
QUALITY ASSURANCE



加工销售
PROCESSING AND SALES

玛利莱服务宗旨 Service

匠心产品, 倾心服务

Creative products, dedicated service

专业的服务, 玛利莱五大承诺:

- 激光产品首推, 整机 3 年免费保修, 光源一年保修
- 售前、售后全方位一对一服务! 服务不满意, 投诉有奖!
- 激光节目, 激光秀, 灯库, 设计方案等技术资料免费赠送
- 维修周期内, 工厂提供备用灯具 (不对应机型)
- 我司产品终身免费保养升级

PROFESSIONAL SERVICE, LIGHTFUL FIVE PROMISE

- The first laser products, the whole machine 3 years free warranty, light source 1 year warranty.
- Pre-sales, after-sales full range of one-to-one service! Service is not satisfied, complaints have a prize!
- Laser program, laser show, light library, design scheme and other technical information free of charge.
- During the maintenance cycle, the factory provides spare lamps (do not correspond to the model).
- Our products for life free maintenance upgrade.

企业资质及产品认证证书 Certification certificate

严格质量检测 遵循国家标准

全方面安全检测, 严格管控, 品质信赖

Strict quality testing in accordance with national standards

All aspects of safety testing, strict control, quality trust





备注: 仅节选了部分证书展示!

Note: Only part of the certificate presentation is excerpted!

大型合作单位

海南艾伦沃克电音节合作单位
江苏碧桂园亮化工程合作单位
广州体育馆 Alin 世界巡演演唱会合作单位
广州郭富城发布会灯光合作单位
马来西亚光良世界巡演灯光合作单位
二手玫瑰乐队2025新春联欢会合作单位
广州融创乐园极光盛宴
哈尔滨融创乐园地标效果
西藏青少年科普中心墙体灯光秀
内蒙古锡林郭勒盟草原灯光秀
与中媒集团合作地标秀效果
陕西乌兰山电视塔地标秀亮化
四川广远中国电信塔地标亮化
河北文安鲁能希尔顿大酒店灯光亮化
CCTV 质量品牌先锋单位
广州商学院产学研合作示范基地



承接国内外户外文旅灯光工程

Undertake domestic and foreign language travel lighting project.

激光是魅力之光，娱乐之光，在市政工程、酒吧、主题公园、旅游景点、文艺晚会都有激光的身影。它所表现出来的炫丽多变，耀眼夺目和易于控制，使人印象深刻，为之震撼。尤其是在户外，亮度高，投射距离远，显示面积大，是任何光源都无法与之媲美。玛利莱一站式解决文旅景区亮化工程难题，降低成本，但景区客流 N 倍增。

Laser is the light of charm, the light of entertainment, in municipal engineering, bars, theme parks, tourist attractions, artistic parties have laser light figure. It shows the dazzling variety, dazzling and easy to control, so impressive, for the shock. Especially in the outdoors, the brightness is high, the projection distance is far, and the display area is large, which is not comparable to any light source. GAGA Light one-stop solution to cultural tourism scenic lighting engineering problems, reduce costs, but the tourist flow of the scenic area N doubled.



产品使用·景区·楼顶地标·水幕·广告文字·演出舞台·酒吧等各种场景

PRODUCT USE, SCENIC SPOTS, ROOF LANDMARKS, WATER CURTAINS, ADVERTISING TEXTS, PERFORMANCE STAGES, BARS AND OTHER SCENES






四川自贡景区古建筑描边案例工程



云南怒江贡山县山体打文字动画案例工程




江苏淮安市金湖荷花广场激光秀工程



黑龙江牡丹江景区造型案例工程



青海-同仁县郭日麻大桥灯光秀



北京-冶仙塔旅游风景区山体亮化



甘肃陇南山体打文字动画




小鹏汽车X9系列新品会




乌兹别克斯坦最大电视台




重庆大足区广场水幕激光秀




吉林天主教堂建筑描边



成都广场北极光氛围




阳江海边庄园亮化



哥伦比亚知名酒吧氛围




广州从化2024跨年晚会




韩国大楼玻璃墙体文字动画



深圳40周年晚会激光秀



温州瓯江大型山体灯光秀




河北唐山 - 大型户外水幕激光秀工程



广东汕尾-花海大型北极光秀案例工程



内蒙古 - 大型山体亮化项目案例工程



哈尔滨 - 融创乐园楼顶亮化案例工程

GA-A12a-W120000

120瓦防水全彩动画激光灯 (可定做100瓦-300瓦)
120W Waterproof RGB animation laser light(100W-300W Customizable)



精品案例: 吉林通化 - 政府项目山体激光秀

产品参数:


光源品牌: 日亚 (日本原装进口)
光源功率: 红色: 30000mW@638nm*1
绿色: 40000mW@525nm*1
蓝色: 50000mW@450nm*1
电源电压: 110-240V; 50/60Hz
激光色彩: 全彩
调制模式: 100K Analog / TTL
播放角度: Max60°
振镜速度: 50K
激光表演: 文字 / 图案 / 动画 / 光束 / LOGO / 定制
光路密封: 特有双层结构, 光路层完全密封
散热方式: 风冷
防护等级: IP65
软件控制: 美国 Pangolin (QS)
工作温度: -20~45°C
产品尺寸: 63*93*84 CM
产品净重: 123 KG
产品毛重: 164 KG (航空箱包装)
包装尺寸: 71*102*93CM (航空箱包装)
控制选项: ILDA 标准 / 声控 / 自走 / DMX512 / 主从

Product parameter:

Light source brand: Japan Nichia
Light source power: R:30000mW@638nm*1
G:40000mW@525nm*1
B:50000mW@450nm*1
Voltage: 110-240V; 50/60Hz
Laser color: Full color
Modulation: 100K Analog / TTL
Scanning angle: Max60°
Scanner: 50K
Laser show: text/animation/animation/beam/logo/custom
Optical path sealing: unique double-layer structure, the optical path layer is completely sealed
Heat dissipation mode: air cooling
IP rate: IP65
Software Control: Pangolin (QS)
Working temperature: -20°C~45°C
Product size: 63*93*84 CM
Net weight: 123 KG
Gross weight (Flight case): 164 KG
Packing size: 71*102*93CM (Flight case)
Control mode: ILDA/Sound active/Auto/DMX512/Master-slave




场景案例 / Scenario Case



产品尺寸 / Product size

GA-A8-W60000

60瓦防水全彩动画激光灯 (可定做50瓦-60瓦)
60W Waterproof RGB animation laser light(50W-60W Customizable)




精品案例: 山东 - 威海市 石岛景区激光亮化

产品参数:


光源品牌: 日亚 (日本原装进口)
光源功率: 红色: 15000mW@638nm*1
绿色: 24000mW@525nm*1
蓝色: 21000mW@450nm*1
电源电压: 110-240V; 50/60Hz
激光色彩: 全彩
调制模式: 100K Analog / TTL
播放角度: Max60°
振镜速度: 50K
激光表演: 文字 / 图案 / 动画 / 光束 / LOGO / 定制
光路密封: 特有双层结构, 光路层完全密封
散热方式: 风冷
防护等级: IP65
软件控制: 美国 Pangolin (QS)
工作温度: -20~45°C
产品尺寸: 47.8*76.5*56 CM
产品净重: 72.3 KG
航空箱包装: 68*82*70 CM
加航空箱重: 104 KG
控制选项: ILDA 标准 / 声控 / 自走 / DMX512 / 主从

Product parameter:

Light source brand: Japan Nichia
Light source power: R:15000mW@638nm*1
G:24000mW@525nm*1
B:21000mW@450nm*1
Voltage: AC110~240V, 50/60Hz
Laser color: Full color
Modulation: 100K Analog / TTL
Scanning angle: Max60°
Scanner: 50K
Laser show: text/animation/animation/beam/logo/custom
Optical path sealing: unique double-layer structure, the optical path layer is completely sealed
Heat dissipation mode: air cooling
IP rate: IP65
Software Control: Pangolin (QS)
Working temperature: -20~45°C
Product size: 47.8*76.5*56 CM
Net weight: 72.3 KG
Package size (Flight case): 68*82*70 CM
Gross weight (Flight case): 104 KG
Control mode: ILDA/Sound active/Auto/DMX512/Master-slave



场景案例 / Scenario Case



产品尺寸 / Product size


GA-C1-360°

C1云台-360°水平自动旋转台
C1-360° horizontal automatic rotating head




产品信息介绍/Product information introduction

产品名称 Product name	C1-360°水平自动旋转云台 C1-360° horizontal automatic rotating head	防护等级 IP rate	IP65
颜色款式 Color style	银色、黑色 / Silver, black	额定功率 Rated power	60W
输入电压 Input voltage	AC90-240V ; 50/60Hz	转速 Rotational speed	0-10000Hz/min
产品材质 Product material	铝合金 Aluminium alloy	旋转角度 Rotation Angle	360°
包装尺寸 Package size	打木架发货 Wooden frame delivery	程序 routine	程序可编 programmable
产品净重 Net product weight	36KG	产品尺寸 Product size	50.5*47.5*30.5CM
搭配使用 Use together	一般搭配我们激光灯产品有: A7、A7B、A8, 能承受重力在≤80KG。 Generally with our laser light products are: A7, A7B, A8, can bear weight ≤80KG.		



搭配使用 Use together

产品尺寸/Product size



GA-A7-W40000

40瓦防水全彩动画激光灯(可定做20瓦-50瓦)
40W Waterproof RGB animation laser light(20W-50W Customizable)



精品案例: 广西 - 黄姚古镇景区 湖面亮化 北极光效果

产品参数:


光源品牌: 日亚 (日本原装进口)
光源功率: 红色: 10000mW@638nm*1
绿色: 14000mW@525nm*1
蓝色: 16000mW@450nm*1
电源电压: 110-240V; 50/60Hz
激光色彩: 全彩
调制模式: 100K Analog / TTL
播放角度: Max60°
振镜速度: 50K
激光表演: 文字 / 图案 / 动画 / 光束 / LOGO / 定制
光路密封: 特有双层结构, 光路层完全密封
散热方式: 风冷
防护等级: IP65
软件控制: 美国 Pangolin (QS)
工作温度: -20~45°C
产品尺寸: 54*60.5*44.5 CM
产品净重: 36 KG
加航空箱重: 52 KG
航空箱包装: 70*76*54 CM
控制选项: ILDA 标准 / 声控 / 自走 / DMX512 / 主从

Product parameter:

Light source brand: Japan Nichia
Light source power: R:10000mW@638nm*1
G:14000mW@525nm*1
B:16000mW@450nm*1
Voltage: AC110~240V, 50/60Hz
Laser color: Full color
Modulation: 100K Analog / TTL
Scanning angle: Max60°
Scanner: 50K
Laser show: text/animation/animation/beam/logo/custom
Optical path sealing: unique double-layer structure, the optical path layer is completely sealed
Heat dissipation mode: air cooling
IP rate: IP65
Software Control: Pangolin (QS)
Working temperature: -20~45°
Product size: 54*60.5*44.5 CM
Net weight: 36 KG
Gross weight (Flight case): 52 KG
Package size (Flight case): 70*76*54 CM
Control mode: ILDA/Sound active/Auto/DMX512/Master-slave



场景案例 / Scenario Case



产品尺寸 / Product size

GA-A7B-W30000

30瓦防水全彩动画激光灯
30W Waterproof RGB animation laser light




精品案例：广东佛山景区

产品参数：


光源品牌：日亚（日本原装进口）
光源功率：红色：8000mW@638nm*1
绿色：10000mW@525nm*1
蓝色：12000mW@450nm*1
电源电压：110-240V; 50/60Hz
激光色彩：全彩
调制模式：100K Analog / TTL
播放角度：Max60°
振镜速度：50K
激光表演：文字 / 图案 / 动画 / 光束 / LOGO / 定制
光路密封：特有双层结构，光路层完全密封
散热方式：风冷
防护等级：IP65
软件控制：美国 Pangolin (QS)
工作温度：-20~45°C
产品尺寸：50*54*40 CM
产品净重：25.75 KG
航空箱包装：67*60*40 CM
加航空箱重：41 KG
控制选项：ILDA 标准 / 声控 / 自走 / DMX512 / 主从

Product parameter:

Light source brand : Japan Nichia
Light source power: R:8000mW@638nm*1
G:10000mW@525nm*1
B:12000mW@450nm*1
Voltage: AC110~240V, 50/60Hz
Laser color: Full color
Modulation: 100K Analog / TTL
Scanning angle: Max60°
Scanner: 50K
Laser show: text/animation/animation/beam/logo/custom
Optical path sealing: unique double-layer structure,
the optical path layer is completely sealed
Heat dissipation mode: air cooling
IP rate: IP65
Software Control: Pangolin (QS)
Working temperature: -20~45°
Product size: 50*54*40 CM
Net weight: 25.75 KG
Package size (Flight case) : 67*60*40 CM
Gross weight (Flight case): 41KG
Control mode: ILDA/Sound active/Auto/DMX512/Master-slave




场景案例 /Scenario Case



产品尺寸 /Product size

GA-A5-W20000

20瓦全彩动画激光灯(可定做15瓦-20瓦)
20W RGB animation laser light(15W-20W Customizable)



精品案例：西藏 - 林芝大型建筑激光描边

产品参数：


光源品牌：日亚（日本原装进口）
光源功率：红色：6000mW@638nm*1
绿色：6000mW@525nm*1
蓝色：8000mW@450nm*1
电源电压：110-240V;50/60 赫兹
激光色彩：全彩
调制模式：100k Analog/TTL
播放角度：Max60°
振镜速度：50K
激光表演：文字 / 图案 / 动画 / 光束 / LOGO / 定制
光路密封：特有双层结构，光路层完全密封
散热方式：风冷
防护等级：IP54
软件控制：美国 Pangolin(QS)
工作温度：-20~45°C
产品尺寸：43*42*36.5 CM
产品净重：16.5 KG
包装尺寸：51*48*26 CM(纸箱包装)
带纸箱重：18.1 KG
控制选项：ILDA 标准 / 声控 / 自走 / DMX512 / 主从

Product parameter:

Light source brand:Japan Nichia
Light source power:R:6000mW@638nm*1
G:6000mW@525nm*1
B:8000mW@450nm*1
Voltage: 110-240V; 50/60Hz
Laser color: Full color
Modulation: 100K Analog / TTL
Scanning angle: Max60°
Scanner: 50K
Laser show: text/animation/animation/beam/logo/custom
Optical path sealing: unique double-layer structure,
the optical path layer is completely sealed
Heat dissipation mode: air cooling
IP rate: IP54
Software Control: Pangolin (QS)
Working temperature: -20°C~45°C
Product size: 43*42*36.5 CM
Net weight: 16.5 KG
Package size (Carton) : 51*48*26 CM
Gross weight (Carton): 18.1 KG
Control mode: ILDA/Sound active/Auto/DMX512/Master-slave



场景案例 /Scenario Case



产品尺寸 /Product size

GA-A4A-W15000

15瓦防水全彩动画激光灯(可定做5瓦-15瓦)
15W Waterproof RGB animation laser light(5W-15W Customizable)



精品案例：吉林长春 - 二手玫瑰乐队 2025 新春联欢会

GA-A4-W10000

10瓦全彩动画激光灯(可定做8瓦-10瓦)
10W RGB animation laser light(8W-10W Customizable)



精品案例：韩国 - 大型夜店

产品参数：

光源品牌：日亚（日本原装进口）
光源功率：红色：4000mW@638nm*1
绿色：5000mW@525nm*1
蓝色：6000mW@450nm*1
电源电压：110-240V; 50/60Hz
激光色彩：全彩
调制模式：100K Analog / TTL
播放角度：Max60°
振镜速度：50K
激光表演：文字 / 图案 / 动画 / 光束 / LOGO / 定制
光路密封：特有双层结构，光路层完全密封
散热方式：风冷
防护等级：IP65
软件控制：美国 Pangolin（QS）
工作温度：-20~45°C
产品尺寸：42*39*32 CM
产品净重：14.3 KG
包装尺寸：52*48*27CM（纸箱包装）
带纸箱重：15.7 KG
控制选项：ILDA 标准 / 声控 / 自走 / DMX512 / 主从

Product parameter:

Light source brand: Japan Nichia
Light source power: R:4000mW@638nm*1
G:5000mW@525nm*1
B:6000mW@450nm*1
Voltage: 110-240V; 50/60Hz
Laser color: Full color
Modulation: 100K Analog / TTL
Scanning angle: Max60°
Scanner: 50K
Laser show: text/animation/animation/beam/logo/custom
Optical path sealing: unique double-layer structure, the optical path layer is completely sealed
Heat dissipation mode: air cooling
IP rate: IP65
Software Control: Pangolin (QS)
Working temperature: -20°C~45°C
Product size: 42*39*32 CM
Net weight: 14.3 KG
Packing size(Carton): 52*48*27 CM
Gross weight (Carton): 15.7 KG
Control mode: ILDA/Sound active/Auto/DMX512/Master-slave

产品参数：

光源品牌：日亚（日本原装进口）
光源功率：红色：3000mW@638nm*1
绿色：3000mW@525nm*1
蓝色：4000mW@450nm*1
电源电压：110-240V; 50/60 赫兹
激光色彩：全彩
调制模式：100k Analog/TTL
播放角度：Max60°
振镜速度：30K
激光表演：文字 / 图案 / 动画 / 光束 / LOGO / 定制
光路密封：特有双层结构，光路层完全密封
散热方式：风冷
防护等级：IP54
软件控制：美国 Pangolin(QS)
工作温度：-20~45°C
产品尺寸：39*44*33 CM
产品净重：10.7 KG
包装尺寸：52*47*27CM（纸箱包装）
带纸箱重：12.45KG
控制选项：ILDA 标准 / 声控 / 自走 / DMX512 / 主从

Product parameter:

Light source brand: Japan Nichia
Light source power: R:3000mW@638nm*1
G:3000mW@525nm*1
B:4000mW@450nm*1
Voltage: 110-240V; 50/60Hz
Laser color: Full color
Modulation: 100K Analog / TTL
Scanning angle: Max60°
Scanner: 30K
Laser show: text/animation/animation/beam/logo/custom
Optical path sealing: unique double-layer structure, the optical path layer is completely sealed
Heat dissipation mode: air cooling
IP rate: IP54
Software Control: Pangolin (QS)
Working temperature: -20°C~45°C
Product size: 39*44*33 CM
Net weight: 10.7 KG
Package size (Carton): 52*47*27 CM
Gross weight (Carton): 12.45 KG
Control mode: ILDA/Sound active/Auto/DMX512/Master-slave



场景案例 / Scenario Case



产品尺寸 / Product size



场景案例 / Scenario Case



产品尺寸 / Product size

GA-A10-W10000

10瓦全彩动画激光灯 (10瓦)
10W RGB animation laser light (10W)



精品案例：天津 - 婚礼现场

产品参数：

光源品牌：日亚（日本原装进口）
光源功率：红色：3000mW@638nm*1
绿色：3000mW@525nm*1
蓝色：4000mW@450nm*1
电源电压：110-240V; 50/60Hz
激光色彩：全彩
调制模式：100K Analog / TTL
播放角度：Max60°
振镜速度：25K
激光表演：文字 / 图案 / 动画 / 光束 / LOGO / 定制
光路密封：特有双层结构，光路层完全密封
散热方式：风冷
防护等级：IP54
软件控制：美国 Pangolin (QS)
工作温度：-20~45°C
产品尺寸：32.5*25.5*24.5 CM
产品净重：5.5 KG
包装尺寸：36*36*27 CM（纸箱包装）
带纸箱重：6.45 KG（纸箱包装）
控制选项：ILDA 标准 / 声控 / 自走 / DMX512 / 主从

Product parameter:

Light source brand: Japan Nichia
Light source power: R:3000mW@638nm*1
G:3000mW@525nm*1
B:4000mW@450nm*1
Voltage: 110-240V; 50/60Hz
Laser color: Full color
Modulation: 100K Analog / TTL
Scanning angle: Max60°
Scanner: 25K
Laser show: text/animation/animation/beam/logo/custom
Optical path sealing: unique double-layer structure, the optical path layer is completely sealed
Heat dissipation mode: air cooling
IP rate: IP54
Software Control: Pangolin (QS)
Working temperature: -20°C~45°C
Product size: 32.5*25.5*24.5 CM
Net weight: 5.5 KG
Package size (Carton): 36*36*27 CM
Gross weight (Carton): 6.45 KG
Control mode: ILDA/Sound active/Auto/DMX512/Master-slave



场景案例 / Scenario Case



产品尺寸 / Product size

GA-A3-W6000

迷你6瓦全彩动画激光灯(6W)
MINI 6W RGB animation laser light(6W)




精品案例：美国 - 大型酒吧

产品参数：

光源品牌：日亚（日本原装进口）
光源功率：红色：2000mW@638nm*1
绿色：2000mW@525nm*1
蓝色：2000mW@450nm*1
电源电压：110-240V; 50/60 赫兹
激光色彩：全彩
调制模式：100k Analog/TTL
播放角度：Max60°
振镜速度：30K
激光表演：文字 / 图案 / 动画 / 光束 / LOGO / 定制
光路密封：特有双层结构，光路层完全密封
散热方式：风冷
防护等级：IP54
软件控制：美国 Pangolin(QS)
工作温度：-20~45°C
产品尺寸：29*32*31.5 CM
产品净重：6.8 KG
包装尺寸：42*28*22 CM（纸箱包装）
带纸箱重：7.9 KG
控制选项：ILDA 标准 / 声控 / 自走 / DMX512 / 主从

Product parameter:

Light source brand: Japan Nichia
Light source power: R:2000mW@638nm*1
G:2000mW@525nm*1
B:2000mW@450nm*1
Voltage: 110-240V; 50/60Hz
Laser color: Full color
Modulation: 100K Analog / TTL
Scanning angle: Max60°
Scanner: 30K
Laser show: text/animation/animation/beam/logo/custom
Optical path sealing: unique double-layer structure, the optical path layer is completely sealed
Heat dissipation mode: air cooling
IP rate: IP54
Software Control: Pangolin (QS)
Working temperature: -20°C~45°C
Product size: 29*32*31.5 CM
Net weight: 6.8 KG
Package size (Carton): 42*28*22 CM
Gross weight (Carton): 7.9 KG
Control mode: ILDA/Sound active/Auto/DMX512/Master-slave



场景案例 / Scenario Case



产品尺寸 / Product size

GA-A2-W4000

迷你4瓦全彩动画激光灯(4瓦)
MINI 4W RGB animation laser light(4W)



适用场景：娱乐场所、舞台演出、商业活动和室内外景观亮化

产品参数：

光源品牌：日亚（日本原装进口）
光源功率：红色：1000mW@638nm*1
绿色：1000mW@525nm*1
蓝色：2000mW@450nm*1
电源电压：110-240V;50/60 赫兹
激光色彩：全彩
调制模式：100k Analog/TTL
播放角度：Max60°
振镜速度：30K
激光表演：文字 / 图案 / 动画 / 光束 / LOGO / 定制
光路密封：特有双层结构，光路层完全密封
散热方式：风冷
防护等级：IP54
软件控制：美国 Pangolin(QS)
工作温度：-20~45°C
产品尺寸：32*23*28 CM
产品净重：5.1 KG
包装尺寸：42*23*22 CM(纸箱包装)
带纸箱重：6.05 KG
控制选项：ILDA 标准 / 声控 / 自走 / DMX512 / 主从

Product parameter:

Light source brand: Japan Nichia
Light source power: R:1000mW@638nm*1
G:1000mW@525nm*1
B:2000mW@450nm*1
Voltage: 110-240V; 50/60Hz
Laser color: Full color
Modulation: 100K Analog / TTL
Scanning angle: Max60°
Scanner: 30K
Laser show: text/animation/animation/beam/logo/custom
Optical path sealing: unique double-layer structure, the optical path layer is completely sealed
Heat dissipation mode: air cooling
IP rate: IP54
Software Control: Pangolin (QS)
Working temperature: -20°C~45°C
Product size: 32*23*28 CM
Net weight: 5.1 KG
Package size (Carton): 42*23*22 CM
Gross weight (Carton): 6.05 KG
Control mode: ILDA/Sound active/Auto/DMX512/Master-slave




场景案例 / Scenario Case



产品尺寸 / Product size

GA-A1-W3000

3瓦全彩动画激光灯(可定做1瓦-5瓦)
3W RGB animation laser light(1W-5W Customizable)




精品案例：美国 - 大型酒吧

产品参数：

光源品牌：日亚（日本原装进口）
光源功率：红色：500mW@638nm*1
绿色：800mW@525nm*1
蓝色：1700mW@450nm*1
电源电压：110-240V;50/60 赫兹
激光色彩：全彩
调制模式：100k Analog/TTL
播放角度：Max60°
振镜速度：25K
激光表演：文字 / 图案 / 动画 / 光束 / LOGO / 定制
光路密封：特有双层结构，光路层完全密封
散热方式：风冷
防护等级：IP54
软件控制：美国 Pangolin(QS)
工作温度：-20~45°C
产品尺寸：25.6*19.5*15.7 CM
产品净重：4.75 KG
包装尺寸：36*35*30 CM(纸箱包装)
带纸箱重：5.6 KG
控制选项：ILDA 标准 / 声控 / 自走 / DMX512 / 主从

Product parameter:

Light source brand: Japan Nichia
Light source power: R:500mW@638nm*1
G:800mW@525nm*1
B:1700mW@450nm*1
Voltage: 110-240V; 50/60Hz
Laser color: Full color
Modulation: 100K Analog / TTL
Scanning angle: Max60°
Scanner: 25K
Laser show: text/animation/animation/beam/logo/custom
Optical path sealing: unique double-layer structure, the optical path layer is completely sealed
Heat dissipation mode: air cooling
IP rate: IP54
Software Control: Pangolin (QS)
Working temperature: -20°C~45°C
Product size: 25.6*19.5*15.7 CM
Net weight: 4.75 KG
Package size (Carton): 36*35*30 CM
Gross weight (Carton): 5.6 KG
Control mode: ILDA/Sound active/Auto/DMX512/Master-slave



场景案例 / Scenario Case



产品尺寸 / Product size

GA-C5-W10000

10W 摇头激光+LED染色灯
10W Shaking head laser +LED dye light



适合场所：酒吧、酒吧、夜总会、演唱会、广告推广等

产品参数：

光源功率：红色 3000mW@638nm*6
绿色 :3000mW@525nm*6
蓝色 :4000mW@447nm*6
电源电压 :110-220V;50/60 赫兹
激光色彩 :RGB 全彩色
激光图案 :256 幅激光动画图案
调制信号 :TTL 调制 (模拟调制)
扫描系统 :振镜扫描 30KPPS
扫描角度 :±20°
步进电机 :两相 57 电机 2 个
X 轴 :540° Y 轴 :270°
LED 染色配置 :9 颗 20W 四合一高亮度 LED 灯珠
控制方式 :DMX512, 声控, 自走, 电脑 ILDA 接口, 网线 Art-Net
控制通道 :30 个 DMX512 控制通道
DMX 特效 :单图案模式, 可分别断笔、频闪、旋转、移动、翻滚、分图、渐绘、换色、改变大小等功能。
功能 :可用山甲 QSF3/FB4 或者火凤凰等激光软件控制。
ILDA 控制采用自动电子转换开关, 具有扫描系统错误保护和激光闭光保护。
使用须知 :环境温度控制在 0~35°C, 干燥少尘环境可减少激光功率衰减, 延长灯具寿命
裸灯尺寸 :32*25.5*52cm
净重 :11KG
包装尺寸 :55.5*38*43cm
毛重 :14KG

Product parameter:

Light source power: R:3000mW@638nm*6
G:3000mW@525nm*6
B:4000mW@447nm*6
Voltage: 110-240V; 50/60Hz
Laser color: full color
Laser pattern: 256 laser animation pattern
Modulation signal: TTL modulation (analog modulation)
Scanning system: galvanometer scan 30KPPS
Scanning Angle: ±20°
Stepper motor: two phase 57 motor 2
X axis: 540° rotation, Y axis: 270° rotation
LED dyeing configuration: 9 20W four-in-one high brightness LED lamp beads
Control mode: DMX512, voice control, self-walking, computer ILDA interface, cable Art-Net.
Control channels: 30 DMX512 control channels
DMX special effects: single pattern mode, can be broken pen, stroboscopic, rotating, moving, tumbling, subgraph, gradually drawing, color change, change the size and other functions.
Function: Pangolin QSF3/FB4 or fire Phoenix laser software control.
ILDA control uses an automatic electronic transfer switch with scanning system error protection and laser light protection.
Notice for use: The ambient temperature is controlled at 0~35°C, and the dry and dust-less environment can reduce the laser power attenuation and extend the life of the lamp
Light Size: 32x25.5x52 CM
N.W:11KG
Carton Size:55.5*38*43 CM
G.W:14KG

Y 轴 : 270°摇头
Y axis : 270° rotation

X 轴 : 540°摇头
X axis : 540° rotation



产品尺寸 /Product size



场景案例 /Scenario Case

GA-B4-W3000

3瓦全彩六眼摇头激光灯(3瓦)
3W RGB six-eyes shake head laser light(3W)




适用场景：娱乐场所、舞台演出、商业活动和室内外景观亮化

产品参数：

光源功率 : (R200mW G100mW B200mW) 500mW*6
额定功率 : 250W
电源电压 : 110-240V;50/60 赫兹
Y 轴旋转角度 : 0-240°
Z 轴旋转角度 : 0-140°
工作模式 : 声控 / 自动 / DMX512 / 主从
自动模式 : 16 种自动 / 声控动态效果
DMX 控制通道 : 14CH/35CH/42CH
冷却系统 : 强制风冷系统
工作温度 : 0°C-35°C
产品尺寸 : 84*9*22.5 CM
产品净重 : 9.35KG
包装尺寸 : 99*22*27 CM (纸箱包装)
带纸箱重 : 10.05KG

Product parameter:

Light source power : (R200mW G100mW B200mW) 500mW*6
Rated Power : 250W
Voltage : AC100-240V 50/60Hz
Y axis rotation angle : 0-240°
Z axis rotation angle : 0-140°
Working mode : Sound/Automatic/DMX512/Master-slave
Auto mode : 16 kinds of automatic dynamic effect/ 16 kinds of sound trigger dynamic effect
DMX Control channel : 14CH/35CH/42CH
Cool system : forced air cooling system
Working temperature : 0°C-35°C
Product size : 84*9*22.5 CM
Net weight : 9.35 KG
Package size (Carton) : 99*22*27 CM
Gross weight (Carton) : 10.05 KG



场景案例 /Scenario Case



产品尺寸 /Product size

GA-E1A-W4000

4瓦防水全彩萤火虫激光灯(可定做2瓦/4瓦)
4W Waterproof RGB star laser light(2W/4W Customizable)



精品案例：广西 - 黄姚古镇景区

产品参数：

光源品牌：日亚（日本原装进口）
光源功率：红色：1500mW@638nm*1
绿色：1400mW@525nm*1
蓝色：1100mW@450nm*1
电源电压：110-240V;50/60 赫兹
额定功率：60W
激光色彩：全彩
投射距离：>100M
使用寿命：20000 小时以上
散热方式：风冷
防护等级：IP65
工作温度：-20~45℃
产品尺寸：24*16*12 CM
产品净重：4.1 KG
包装尺寸：36.5*28*21 CM(纸箱包装)
带纸箱重：4.85 KG
控制选项：DMX512/ 自走 / 主从

Product parameter:

Light source brand: Japan Nichia
Light source power: R:1500mW@638nm*1
G:1400mW@525nm*1
B:1100mW@450nm*1
Voltage: 110-240V; 50/60Hz
Power factor: 60W
Laser color: full color
Projection distance: >100M
Service life: more than 20,000 hours
Heat dissipation mode: air cooling
IP rate: IP65
Working temperature: -20~45℃
Product size: 24*16*12 CM
Net weight: 4.1 KG
Package size (Carton): 36.5*28*21 CM
Gross weight (Carton): 4.85 KG
Control mode: DMX512/Auto/Master-slave



产品尺寸 / Product size

GA-C3-G1000

单绿防水高速公路激光灯
Single green highway laser light



精品案例：广西 - 桂林的 G72 泉南高速

产品参数：

额定电压：AC100V~230V50~60Hz±10%
额定功率：10W
激光光源：半导体泵浦激光器
旋转角度：平移 360 度（加旋转台）
激光波长：525nm
激光功率：1W(绿光 1W)，光源功率可定制 1W,2W
激光颜色：单绿色（可定制全彩）
使用环境：室内和室外
防水等级：IP65
适用场所：高速公路，隧道，桥梁等
工作温度：-20℃~45℃
产品尺寸：15*38.5*43.7 CM
灯具重量：约 3KG

激光效果：高速公路，隧道口，桥梁等标志性提醒
来往司机警惕注意，激光束可打 1-3 公里可见，
频闪速度可调节。



场景案例 / Scenario Case

Product parameter:

Voltage: AC100V~230V50~60Hz ± 10%
Rated power: 10W
Laser light source: semiconductor pump laser
Rotation angle: 360 degrees translation (plus rotary table)
Laser wavelength: 525nm
Light source power: 1W(G:1W), The power of the light source can be customized 1W-2W
Laser color: Single green (customizable full color)
Use environment: indoor and outdoor
IP rate: IP65
Applicable places: highways, tunnels, bridges, etc.
Working temperature: -20℃~45℃
Product size: 15*38.5*43.7 CM
Net weight: 3KG
Laser effect: highways, tunnel entrances, bridges and other iconic reminders of drivers to pay attention, laser beam can hit 1-3 kilometers visible, strobe speed can be adjusted.



产品照 / Product photo


舞台特效类产品/Stage effect products

适用于多种场合(氛围渲染)

Application scenario: Applicable to various scenarios(atmosphere rendering).

例如：婚礼庆典、舞台表演、公司年会、电视节目、拍摄现场、户外亮化等场所特效氛围营造的神器。

For example: wedding celebrations, stage performances, company annual meetings, TV programs, shooting sites, outdoor lighting and other places to create special effects atmosphere artifacts.



激光灯专业软件 / Professional lasersoftware

美国穿山甲专业激光控制软件

QuickShow Software /Beyond Software

Quickshow最畅销的激光控制软件，界面简洁，操作方便，容易上手。而且在做短节目方面比较有优势。广泛应用在广告及婚庆活动中。多套组合使用，效果更惊艳。

QuickShow hot sale laser light control software.simpleinterface,easyto operate,easy to use.And for edit short program is more advantage.Widely used in advertising and wedding activities.Multiple combination, the effect is more stunning.



具备强大的绘图功能，让您尽情添加您想要的素材。增加了视频控制模块，可以让激光和视频共同演绎更为丰富的效果。

Beyond Software Powerful drawing capabilities, you can adding more materiallikes as pattern and animation, adding videocontrol mode, let laser light with video together running will be more richer effect.

控制器 Controller

激光灯常用控台 Laser light commonly used console

可实现效果控制、编程自动化、与音频设备联动，使灯光和音乐同步，增强视听体验。提高效率和质量。常运用到舞台演出、主题公园和文旅夜游灯光秀、商业活动和品牌推广等活动。
It can achieve effect control, programming automation, and linkage with audio equipment to synchronize lights and music and enhance the audio-visual experience. Improve efficiency and Quality. Often used in stage performances, theme parks and cultural night tour light shows, commercial activities and brand promotion activities.



转换器 Converter

ENTTEC 信号转换器:用DMX控制电脑界面 ENTTEC Signal converter: Control the computer interface with DMX

DMX USB Pro是将pc和mac连接到DMX512照明的行业标准接口网络。兼容最广泛的商业和自由软件，它是最快和最安全的最可靠的信号转换器。

The DMX USB Pro is the industry standard interface network for connecting PCS and Macs to DMX512 lighting. Compatible with the widest range of commercial and free software, It is the fastest and safest most reliable signal converter.

